BESSEY® Product Training





BESSEY® Tools North America Compound Leverage Snip: D39ASS





Heating, ventilating and air-conditioning, dry construction and much more



Optimised design

The reduced handle opening angle guarantees better handling and an even cutting length. Thanks to the compact cutter head with a partially countersunk head screw connection, cutting in curves is even easier and more precise. The spring is located so that it is maintenance free

Extremely robust pivot joint

The joint area with a sintered steel insert ensures that the snips run smoothly and are wear-resistant. The joint area's screwed connection is very robust thanks to a stud bolt.

Central latch

Thanks to its central position on the top handle, the latch can be operated easily by right-handed and left-handed people, without having to change their grip.

Compound Leverage

 Compound leverage reduces the effort required considerably.
This increases the cutting performance significantly.



Extremely robust pivot joint

- The joint area with a sintered steel insert ensures that the snips run smoothly and are wear-resistant.
- The joint area's screwed connection is very robust thanks to a stud bolt.





Central latch

☐ Thanks to its central position on the top handle, the latch can be operated easily by right-handed and left-handed people, without having to change their grip.





Optimised design

- The reduced handle opening angle guarantees better handling and an even cutting length.
- □ Thanks to the compact cutter head with a partially countersunk head screw connection, cutting in curves is even easier and more precise.
- The spring is located so that it is maintenance free







Compound Leverage

- Reduces the effort required considerably
- Increases the cutting performance significantly





Thank you for your attention!

BESSEY® Tools North America